

Boughton Lightweight Subsoil



Product information

Boughton Subsoil is an essential part of most soil profiles, used before topsoil to provide added moisture storage and reduce the rate of water run-off.

Subsoil is low in organic matter, profiling a mixture of sand, silt and clay, with over 50% of its particles ranging in size from 0.25mm to 0.5mm.

Application

Boughton Lightweight Subsoil is available for all your green roof or podium projects. If the standard product does not meet any weight limitations, the subsoil can be blended to suit your specifications.

Installation details

Boughton Subsoil can be laid to depths varying from 100 / 500 cm. The depth of substrate is determined by the planting scheme and the weight loading capability of the roof/podium which must be assessed by a qualified structural engineer.

Standard

Boughton Lightweight Subsoil meets and exceeds the British Standard for Subsoil BS38601:2013, which compliments BS3882:2015 for topsoil.

Delivery info

Boughton Subsoil can be delivered in any required format. This includes 25ltr and IBC Bulk bags. Or loose tipped as required.



Boughton Loam Ltd

Telford Way Industrial Estate, Telford Way, Kettering, Northamptonshire NN16 8UN

T 01536510515

E enquiries@boughton.co.uk

Parameter	Unit	BS8601:2013 Range	Result	Compliance
Texture				
Clay (<0.002mm)	% w l w	5-30%	10	Yes
Silt (0.002-0.63mm)	% w l w	0-65%	6	Yes
Sand (0.063-2.0mm)	% w l w	20-90%	84	Yes
Textual Class:		Loamy Sand		
Stones (2-20mm)	%w/wDW	40%	1.9	Yes
Stones (20-75mm)	%w/wDW	20%	1.1	Yes
Stones (>75mm)	%w/wDW	0%	0.0	Yes
Sand Fraction (USGA Sieve Sizes)				
Very Fine Sand (0.05-0.15mm)	% w l w	n/a	4	
Fine Sand (0.15-0.25mm)	% w l w	n/a	25	
Medium Sand (0.25-0.50mm)	% w l w	n/a	40	
Coarse Sand (0.50 -1.0mm)	% w l w	n/a	10	
Very Coarse Sand (1.0-2.0mm)	% w l w	n/a	5	
Organic Matter (LOI)	% w l w	0.0-2.0%	1.4	Yes
Ph		5.5-7.5	8.2	Yes
Phytotoxic Contaminants:				
Total Zinc	Mg/kg	0-200	64.5	Yes
Total Copper	Mg/kg	2-135	4.1	Yes
Total Nickel	Mg/kg	0-75	39.9	Yes
Available Nutrients:				
Phosphorus	Mg/l	n/a	19	
Potassium	Mg/l	n/a	44	
Magnesium	Mg/l	n/a	49	
Additional Analysis:				
Available Sodium	Mg/l	n/a	9.0	
Available Calcium	Mg/l	n/a	880	
Electrical Conductivity (CaSO4 extract)	µSiem	n/a	1928	
Calcium Carbonate	%	n/a	0.5	

Boughton Loam Ltd

Telford Way Industrial Estate, Telford Way, Kettering, Northamptonshire NN16 8UN

T 01536510515

E enquiries@boughton.co.uk

Parameter	Unit	Guidelines	Value	Result	Compliance
Heavy Metal and Hydrocarbons					
Total Arsenic (As)	Mg/kg	S4UL	<37	31.4	Yes
Total Cadmium (Cd)	Mg/kg	S4UL	<11	0.12	Yes
Total Chromium (Cr)	Mg/kg	SIUL	<910	83.4	Yes
Total Cyanide (Cn)	Mg/kg	Dutch Action Value (DAV)	<20	<1	Yes
Total Lead (Pb)	Mg/kg	SP1010 (Defra Category 4)	<200	12.9	Yes
Total Mercury (Hg)	Mg/kg	S4UL	<1.2	<0.2	Yes
Total (mono) Phenols	Mg/kg	S4UL	<500	<1	Yes
Total Selenium (Se)	Mg/kg	S4UL	<250	0.31	Yes
Acenaphthylene	Mg/kg	S4UL	<420	<0.05	Yes
Acenaphthene	Mg/kg	S4UL	<510	<0.05	Yes
Anthracene	Mg/kg	S4UL	<5400	<0.05	Yes
Benzo (a) Anthracene	Mg/kg	S4UL	<11	<0.1	Yes
Benzo (a) Pyrene	Mg/kg	S4UL	<2.7	<0.1	Yes
Benzo (b) Fluoranthene	Mg/kg	S4UL	<3.3	<0.1	Yes
Benzo (g,h,i) Perylene	Mg/kg	S4UL	<340	<0.1	Yes
Benzo (k) Fluoranthene	Mg/kg	S4UL	<93	<0.1	Yes
Chrysene	Mg/kg	S4UL	<22	<0.1	Yes
Dibenzo (a,h) Anthracene	Mg/kg	S4UL	<0.28	<0.1	Yes
Fluoranthene	Mg/kg	S4UL	<560	<0.1	Yes
Fluorene	Mg/kg	S4UL	<400	<0.05	Yes
Indeno (1,2,3-cd) Pyrene	Mg/kg	S4UL	<36	<0.1	Yes
Naphthalene	Mg/kg	S4UL	<5.6	<0.05	Yes
Phenanthrene	Mg/kg	S4UL	<220	<0.1	Yes
Pyrene	Mg/kg	S4UL	<1200	<0.1	Yes

- All reports originate from **samples** collected in accordance with the guidelines laid out in the 8S3882:2015 standard.
- **Tests** of this material are carried out a minimum of every 6 months.

Boughton Loam Ltd

Telford Way Industrial Estate, Telford Way, Kettering, Northamptonshire NN16 8UN
 T 01536510515
 E enquiries@boughton.co.uk