

Boughton Loam BL 1 – Natural Topsoil



Product information


BL1 is a repurposed, single source, unscreened, as-dug, natural topsoil; usually of sandy/clay loam classification. This topsoil contains good levels of natural retained organic matter content, has excellent moisture and nutrient retention capabilities. BL1 is unscreened so its consistency may vary.

Application

A natural soil best suited to large scale, ground level, planting projects for hardy stock, amenity grasslands and landscape renovation works. This topsoil should be installed at depths no greater than 350-400mm; the greater depths should be built up with our subsoil products.

Standard

Boughton Loam BL 1 Natural 'As Dug' topsoil generally meets BS3882



Properties (Typical)

Clay (<0.002 mm)	30
Silt (0.002-0.063 mm)	30
Sand (0.063-2.0mm)	40
Texture Class (UK cl)	CL
Stones (2-20mm)	14
Stones (20-50mm)	0
Stones (>50mm)	0

Installation details

Boughton Loam BL 1 Natural As Dug soil to depths not exceeding 400mm.

Delivery info

Boughton BL 1 can be delivered in any required format. This includes 25ltr and IBC Bulk bags. Or loose tipped as required.



Boughton BL 1 – Natural Topsoil

Typical analysis for natural topsoil. A full analysis is available on request.

Particle Size Distribution

Clay (<0.002 mm)	30
Silt (0.002-0.063 mm)	30
Sand (0.063-2.0mm)	40
Texture Class (UK cl)	CL
Stones (2-20mm)	14
Stones (20-50mm)	0
Stones (>50mm)	0

Chemical

pH Value (1:2.5 water extract)	7.3
Electrical Conductivity (1:2.5 water extract)	174
Electrical Conductivity (1:2 CaSO ₄ extract)	2049
Exchangeable Sodium Percentage	0.6
Organic Matter (LOI)	6.4
Total Nitrogen (Dumas)	0.24
C:N Ratio	16
Extractable Phosphorus	10
Extractable Potassium	53
Extractable Magnesium	81